

L Number	Hits	Search Text	DB	Time stamp
1	2	"6414671"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/19 12:30
2	112	"4550221"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/19 12:31
3	35	"4550221" and (ratio or ratios or ratiometric\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/19 13:15
4	400	(capacit\$4 near2 sens\$3) and (interdigitat\$5 or inter-digitat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/19 12:45
5	229	(capacit\$4 near2 sens\$3) and (interdigitat\$5 or inter-digitat\$5) and (ratio or ratios or ratiometric\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/19 12:45
8	50	(capacit\$4 near2 sens\$3) and (interdigitat\$5 or inter-digitat\$5) and (ratio or ratios or ratiometric\$5) and oscillat\$6 and count\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/19 12:46
7	90	(capacit\$4 near2 sens\$3) and (interdigitat\$5 or inter-digitat\$5) and (ratio or ratios or ratiometric\$5) and oscillat\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/19 15:34
9	37	"5386219"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/19 13:15
10	18	"5386219" and (ratio or ratios or ratiometric\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/19 13:15
11	56	(node\$1 with (interdigitat\$4 or inter-digitat\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/19 15:36
12	1141	((plate\$1 or trace\$1) with (interdigitat\$4 or inter-digitat\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/19 15:40
14	76	((plate\$1 or trace\$1) with (interdigitat\$4 or inter-digitat\$5)) and (capacit\$5 near2 sens\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/19 16:43
16	60	((capacitive\$1 near2 node\$1) with (circuit\$1 near2 node\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/19 16:03

15	345	((capacitive\$1 near2 node\$1) or (trace\$1 or tracing\$1 or plate\$1)) with (circuit\$1 near2 node\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/19 16:22
17	262	((trace\$1 or tracing\$1 or plate\$1) with (circuit\$1 near2 node\$1))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/19 16:10
18	40	((capacitive\$1 near2 node\$1) or (trace\$1 or tracing\$1 or plate\$1)) with (circuit\$1 near2 node\$1)) and (capaci\$5 near2 sens\$4)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/19 16:16
20	51689	((capacitive\$1 near2 node\$1) or (trace\$1 or tracing\$1 or plate\$1)) and (determin\$6 with (ratio or ratios or ratiometric\$4 or ratio-metric\$4))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/19 16:23
21	72	(capacitive\$1 near2 node\$1) and (determin\$6 with (ratio or ratios or ratiometric\$4 or ratio-metric\$4))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/19 16:26
23	71	(capacitive\$1 near2 node\$1) and ((determin\$6 or calculat\$6 ) with (ratio or ratios or ratiometric\$4 or ratio-metric\$4))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/19 16:37
24	188	(capacitive\$1 near2 node\$1) and oscillat\$3	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/19 16:37
25	78	((plate\$1 or trace\$1) with (interdigitat\$4 or inter-digitat\$5)) and (capacit\$5 near2 sens\$4) and (interdigitat\$6 or inter-digitat\$6 or interleav\$5 or inter-leav\$6)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/19 16:42
27	419	((plate\$1 or trace\$1) with (interdigitat\$4 or inter-digitat\$5 or interleav\$6 ot inter-leav\$6)) and oscillat\$6	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/19 16:50
28	5	"5790107"	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/19 16:54
29	8	"5854625"	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/19 16:55
26	138	((plate\$1 or trace\$1) with (interdigitat\$4 or inter-digitat\$5)) and oscillat\$6	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/19 18:12
34	1	((capacit\$5 near2 node\$1) with (interdigitat\$4 or inter-digitat\$5)) and oscillat\$6	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/19 18:58
35	2	("5572205").PN.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/19 18:58

36	2	("5730165").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/19 19:00
37	2	("6075522").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/19 18:59
38	2	("6084570").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/19 19:00
39	2	("4736191").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/19 19:01
40	2	("6288707").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/19 19:01
41	1	("4550310").PN.	USPAT	2003/08/19 19:03
42	1	("4831566").PN.	USPAT	2003/08/19 19:04
43	0	(US-6222528-\$ or US-5861875-\$ or US-5638092-\$ or US-4831566-\$ or US-5886687-\$ or US-4088842-\$ or US-6281888-\$ or US-5933102-\$ or US-4893071-\$ or US-6587093-\$ or US-6505516-\$ or US-5008497-\$ or US-5572205-\$).did. or (US-20020130848-\$).did.	USPAT; US-PGPUB	2003/08/19 19:05
44	14	(US-6222528-\$ or US-5861875-\$ or US-5638092-\$ or US-4831566-\$ or US-5886687-\$ or US-4088842-\$ or US-6281888-\$ or US-5933102-\$ or US-4893071-\$ or US-6587093-\$ or US-6505516-\$ or US-5008497-\$ or US-5572205-\$).did. or (US-20020130848-\$).did.	USPAT; US-PGPUB	2003/08/19 19:05
46	1	("6147680").PN.	USPAT	2003/08/19 19:06
47	8	groove\$1 with insulat	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/19 19:06
48	28597	groove\$1 with insulat\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/19 19:07
49	69	(groove\$1 with insulat\$6) and (capacitive near2 sens\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/19 19:12
50	21	(groove\$1 with insulat\$6) and (capacitive near2 sens\$4) and (stylus or pen\$1 or finger\$1 or pointing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/19 19:20

51	2	("6147680").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/19 19:20
52	1	("5854625").PN.	USPAT	2003/08/19 19:38
53	1	("4374381").PN.	USPAT	2003/08/19 19:38
54	1	("4103252").PN.	USPAT	2003/08/19 19:55
55	1	("5369227").PN.	USPAT	2003/08/19 19:59
56	1	("4323829").PN.	USPAT	2003/08/19 19:59
-	0	("(capacitive near2 (sens\$4 or pad\$1 or touchpad\$1 or node\$1)) and ((frequenc\$3 or characteristic\$1) with (ratio or ratios)) and (capacitive near2 node\$1)) and ((capacitive near2 (sens\$3 or pad\$1 or touchpad\$1 or node\$1)) or (touchpad\$1 or touch adj (pad\$1 or slider\$1)))) and ((frequenc\$3 or characteristic\$1) with (ratio or ratios)) and (capacitive near2 node\$1)) and ((capacitive near2 (sens\$3 or pad\$1 or touchpad\$1 or node\$1)) or (touchpad\$1 or touch adj (pad\$1 or slider\$1)))) and ((frequenc\$3 or characteristic\$1) with (ratio or ratios)) and ((capacitive near2 node\$1) or (plate\$1 or trace\$1))) and oscillat\$7) and position\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/18 09:01
-	39	(capacitive near2 (sens\$3 or pad\$1 or touchpad\$1 or node\$1)) and ((frequenc\$3 or characteristic\$1) with (ratio or ratios)) and (capacitive near2 node\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/18 09:16
-	39	((capacitive near2 (sens\$3 or pad\$1 or touchpad\$1 or node\$1)) or (touchpad\$1 or touch adj (pad\$1 or slider\$1)))) and ((frequenc\$3 or characteristic\$1) with (ratio or ratios)) and (capacitive near2 node\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/18 09:17
-	524	((capacitive with (sens\$3 or pad\$1 or touchpad\$1 or node\$1)) or (touchpad\$1 or touch adj (pad\$1 or slider\$1)))) and ((frequenc\$3 or characteristic\$1) with (ratio or ratios)) and ((capacitive near2 node\$1) or (plate\$1 or trace\$1))) and oscillat\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/18 09:19
-	330	((capacitive with (sens\$3 or pad\$1 or touchpad\$1 or node\$1)) or (touchpad\$1 or touch adj (pad\$1 or slider\$1)))) and ((frequenc\$3 or characteristic\$1) with (ratio or ratios)) and ((capacitive near2 node\$1) or (plate\$1 or trace\$1))) and oscillat\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/18 09:19
-	275	((capacitive with (sens\$3 or pad\$1 or touchpad\$1 or node\$1)) or (touchpad\$1 or touch adj (pad\$1 or slider\$1)))) and ((frequenc\$3 or characteristic\$1) with (ratio or ratios)) and ((capacitive near2 node\$1) or (plate\$1 or trace\$1))) and oscillat\$7) and position\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/18 09:59
-	34	"4550310"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/18 10:01
-	0	(345/\$.ccls.) and (178/\$.ccls.) and (340/\$.ccls.) and (702/\$.ccls.) and oscillator\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/18 10:12
-	183245	(345/\$.ccls.) or (178/\$.ccls.) or (340/\$.ccls.) or (702/\$.ccls.) and oscillator\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/18 10:17
-	181255	(345/\$.ccls.) or (178/\$.ccls.) or (340/\$.ccls.) or (702/\$.ccls.) and oscillator\$1 and (frequenc\$3 with (ratio or ratios))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/18 10:15

-	181216	(345/\$.ccls.) or (178/\$.ccls.) or (340/\$.ccls.) or (702/\$.ccls.) and oscillator\$1 and (determin\$7 with (ratio or ratios))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/18 10:22
-	73735	(345/\$.ccls.) or (178/\$.ccls.) or (702/\$.ccls.) and oscillator\$1 and (determin\$7 with (ratio or ratios))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/18 10:17
-	181193	(345/\$.ccls.) or (178/\$.ccls.) or (340/\$.ccls.) or (702/\$.ccls.) and oscillator\$1 and (capacit\$6 with sens\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/18 10:18
-	505	(702/150).CCLS.	USPAT; US-PGPUB	2003/08/18 10:19
-	10	((702/150).CCLS.) and (capacit\$6 near2 sens\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/18 10:20
-	1	((702/150).CCLS.) and (capacit\$6 near2 node\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/18 10:21
-	180938	(345/\$.ccls.) or (178/\$.ccls.) or (340/\$.ccls.) or (702/\$.ccls.) and oscillator\$1 and (determin\$7 with (ratio or ratios)) and (capacit\$4 near2 node\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/18 10:24
-	0	(345/\$.ccls.) and (178/\$.ccls.) and (340/\$.ccls.) and oscillator\$1 and (determin\$7 with (ratio or ratios)) and (capacit\$4 near2 node\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/18 10:23
-	0	(345/\$.ccls.) and (178/\$.ccls.) and (340/\$.ccls.) and (702/\$.ccls.) and oscillator\$1 and (determin\$7 with (ratio or ratios)) and (capacit\$4 near2 node\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/18 10:25
-	97	(702/\$.ccls.) and oscillator\$1 and (determin\$7 with (ratio or ratios)) and ((capacit\$4 near2 node\$1) or (trace\$1 or plate\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/18 10:33
-	75	(345/\$.ccls.) and oscillator\$1 and (determin\$7 with (ratio or ratios)) and ((capacit\$4 near2 node\$1) or (trace\$1 or plate\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/18 11:23
-	34	(178/\$.ccls.) and oscillator\$1 and (determin\$7 with (ratio or ratios)) and ((capacit\$4 near2 node\$1) or (trace\$1 or plate\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/18 11:41
-	108	(340/\$.ccls.) and oscillator\$1 and (determin\$7 with (ratio or ratios)) and ((capacit\$4 near2 node\$1) or (trace\$1 or plate\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/18 11:56
-	7	"5933102"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/19 12:27